

Atty. Docket No.: 20412-08763



Atty. Docket No.: 20412-08763






FIG. 3a

<CLIPREF TIME= "2293" POINTX= "250" POINTY= "750" REF= "http:/ <CLIPREF TIME= "6259" POINTX= "330" POINTY= "250" REF= "http:/ SUBCHRONICLE AUTHORID= "marko" STARTTIME= "927336977200" <SUBCHRONICLE AUTHORID="marko" STARTTIME="927336940440" <CHRONICLE SAVETIME= "927336993806" AUTHORID="marko"> <CLIPREF TIME="1753" REF="http://Server/Doc1"/> <AUDIO SRC= "http://Server/Clip2.au"/> <AUDIO SRC="http://Server/Clip1.au"/> /Server/Clip4.au"/> <CLIP> < AUDIOREFS LENGTH="11600"> <AUDIO SRC= "http://Server/Clip3.au"/> <CLIP><AUDIOREFS LENGTH= "1920"> CLIP> < AUDIOREFS LENGTH="3240"> _ENGTH= "6560"> </AUDIOREFS></CLIP> </AUDIOREFS></CLIP> </AUDIOREFS></CLIP> CLIP> < AUDIOREFS I AUDIO SRC= "http:// SUBCHRONICLE> /AUDIOREFS>< CLIPREF TIME= Server/Doc2"/> Server/Doc3"/>

FIG, 3b

> USER "A" 402




FIG. 4c





FIG. 5






FIG. 7

Inventor(s): John W. Barrus, et al. Atty. Docket No.: 20412-08763




Figure 8





Figure 10






Figure 12

Generation of Visual Representations and Links in a Hierarchical Messaging System Inventor(s): John W. Barrus, et al. Atty. Docket No.: 20412-08763 **START** 1302 Access multimedia system 1304 Open a first window to access a web page 1306 Open a second window 1308 Select a component in the first window that represents or references the web page and drag it into second window 1310 Capture image of the web page displayed in the first window 1312 Create object in second window 1314 Add image of the web page to object in second window 1316 Identify a link to the web page displayed in the first window 1318

Express Mail Label No. EV 333134618US Title: System and Method for Automatic

Figure 13

Add the identified link to object in second window

END

Atty. Docket No.: 20412-08763 **START** 1402 Access multimedia system 1404 Open a first window to access an existing multimedia message or select a thumbnail image representing a message 1406 Open a second window 1408 Select the first window or thumbnail and drag it into the second window 1410 Create a message object in second window 1412 Capture or use an existing image of the multimedia message displayed in the first window 1414 Add image of multimedia message to the object in second window 1416 Identify/create a link to the original multimedia message displayed in the first window 1418 Add the identified link to the object in second window **END**

Express Mail Label No. EV 333134618US Title: System and Method for Automatic Generation of Visual Representations and Links

in a Hierarchical Messaging System Inventor(s): John W. Barrus, et al.

Figure 14

General method for automatic creation from a multimedia message




Figure 15




Figure 16

